

DOCKET NO. 2000.04.021.WT0  
SERIAL NO. 09/475,766  
PATENT APPLICATION

**IN THE CLAIMS**

1) Please amend Claims 1-20 as follows:

1. (Currently Amended) For use in a wireless network comprising a plurality of base stations, each of said base stations capable of communicating with a plurality of mobile stations, a security device capable of preventing an unprovisioned one of said plurality of mobile stations from accessing an Internet protocol (IP) data network through said wireless network, said security device comprising:

a first controller capable of receiving from said unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload, determining from said IP data packet that said unprovisioned mobile station is unprovisioned and, in response to said determination, and encrypting at least a portion of said IP packet payload to thereby generate an encrypted payload that may be decrypted only by a provisioning server of said wireless network.

2. (Original) The security device set forth in Claim 1 wherein said first controller is disposed in at least one of said plurality of base stations.

3. (Original) The security device set forth in Claim 1 wherein said first controller is disposed in at least one of a mobile switching center and an interworking function of said wireless network.

DOCKET NO. 2000.04.021.WT0  
SERIAL NO. 09/475,766  
PATENT APPLICATION

4. (Original) The security device set forth in Claim 1 further comprising a second controller capable of determining that said unprovisioned mobile station is unprovisioned.

5. (Currently Amended) The security device set forth in Claim 1 wherein said second controller determines that said unprovisioned mobile station is unprovisioned if said unprovisioned mobile station is unable to authenticate to said wireless network.

a! 6. (Currently Amended) The security device set forth in Claim 1 wherein said second controller determines that said unprovisioned mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by said unprovisioned mobile station.

7. (Currently Amended) The security device set forth in Claim 1 wherein said second controller determines that said unprovisioned mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network.

8. (Original) The security device set forth in Claim 1 wherein said first controller comprises a data processor capable of executing an encryption program stored in a memory associated with said data processor.

DOCKET NO. 2000.04.021.WT0  
SERIAL NO. 09/475,766  
PATENT APPLICATION

9. (Currently Amended) A wireless network comprising:

a plurality of base stations, each of said base stations capable of communicating with a plurality of mobile stations; and

a security device capable of preventing an unprovisioned one of said plurality of mobile stations from accessing an Internet protocol (IP) data network through said wireless network, said security device comprising:

a first controller capable of receiving from said unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload, determining from said IP data packet that said unprovisioned mobile station is unprovisioned and, in response to said determination, and encrypting at least a portion of said IP packet payload to thereby generate an encrypted payload that may be decrypted only by a provisioning server of said wireless network.

10. (Original) The wireless network set forth in Claim 9 wherein said first controller is disposed in at least one of said plurality of base stations.

11. (Original) The wireless network set forth in Claim 9 wherein said first controller is disposed in at least one of a mobile switching center and an interworking function of said wireless network.

DOCKET NO. 2000.04.021.WT0  
SERIAL NO. 09/475,766  
PATENT APPLICATION

12. (Original) The wireless network set forth in Claim 9 further comprising a second controller capable of determining that said unprovisioned mobile station is unprovisioned.

13. (Currently Amended) The wireless network set forth in Claim 9 12 wherein said second controller determines that said unprovisioned mobile station is unprovisioned if said unprovisioned mobile station is unable to authenticate to said wireless network.

a 14. (Currently Amended) The wireless network set forth in Claim 9 12 wherein said second controller determines that said unprovisioned mobile station is unprovisioned according to a predetermined telephone number associated with a service provisioning process selected by said unprovisioned mobile station.

15. (Currently Amended) The wireless network set forth in Claim 9 12 wherein said second controller determines that said unprovisioned mobile station is unprovisioned according to data retrieved from a home location register associated with said wireless network.

16. (Original) The wireless network set forth in Claim 9 wherein said first controller comprises a data processor capable of executing an encryption program stored in a memory associated with said data processor.

DOCKET NO. 2000.04.021.WT0  
SERIAL NO. 09/475,766  
PATENT APPLICATION

17. (Currently Amended) For use in a wireless network comprising a plurality of base stations, each of the base stations capable of communicating with a plurality of mobile stations, a method of preventing an unprovisioned one of the plurality of mobile stations from accessing an Internet protocol (IP) data network through the wireless network, the method comprising the steps of:

receiving from the unprovisioned mobile station an IP data packet comprising an IP packet header and an IP packet payload;

determining that the unprovisioned mobile station is unprovisioned; and

encrypting at least a portion of the IP packet payload to thereby generate an encrypted payload that may be decrypted only by a provisioning server of said wireless network.

18. (Original) The method set forth in Claim 17 wherein the step of determining comprises the step of determining that the unprovisioned mobile station is unable to authenticate to the wireless network.

19. (Original) The method set forth in Claim 17 wherein the step of determining comprises the step of determining that the unprovisioned mobile station selected a predetermined telephone number associated with a service provisioning process.

DOCKET NO. 2000.04.021.WT0  
SERIAL NO. 09/475,766  
PATENT APPLICATION

20. (Original) The method set forth in Claim 17 wherein the step of determining that the unprovisioned mobile station is unprovisioned comprises the step of examining data retrieved from a home location register associated with the wireless network.